

Printing date 10/13/2015 Reviewed on 10/13/2015

#### \* 1 Identification

- · Product identifier
- · Trade name: Heavy Cut Compound 400
- · Article number: 22759
- · Application of the substance / the mixture Abrasive and polishing compound
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Menzerna Polishing Compounds GmbH & Co. KG

Industriestraße 25 76470 ÖTIGHEIM GERMANY

- sds@menzerna.com
- · Information department: Product and Environmental Safety Department
- · Emergency telephone number: +49 (0) 761 19240 (24 h) Vergiftungs-Informations-Zentrale Freiburg

## \* 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHŠ08

- · Signal word Danger
- · Hazard-determining components of labeling:

Naphtha (petroleum), hydrodesulfurized heavy

Hazard statements

Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
1344-28-1	aluminium oxide	10-<25%		
	Distillates (petroleum), hydrotreated light paraffinic  \$ Asp. Tox. 1, H304	10-<25%		
64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy  STOT RE 1, H372; Asp. Tox. 1, H304	2.5-<10%		
64742-94-5	Solvent naphtha (petroleum), heavy arom.  \$\infty\$ Asp. Tox. 1, H304; \$\infty\$ STOT SE 3, H336; Flam. Liq. 4, H227	2.5-<10%		
56-81-5	glycerol	0.1-≤2.5%		

### 4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

Treat according to symptoms.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Water spray, foam, dry powder or carbon dioxide.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 2)

Wear fully protective suit.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## \* 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Storage temperature: between 15 °C and 25 °C.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · **Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

^ - · · · · · · · · · · · · · · · · · ·		4 1 41	4		4 41	
· Componente	With iimi	t Wallibe tha	T PAMILIPA	monitoring	at the workplace	•
COHIDOHEIRS	<b>VV I LI I I I I I I I I</b>		LIGUUNG	HIDHILDIHIA	at the workblace	

#### 1344-28-1 aluminium oxide

PEL Long-term value: 15\*; 15\*\* mg/m³

\*Total dust; \*\* Respirable fraction

REL Long-term value: 10\* 5\*\* mg/m³

\*Total dust \*\*Respirable fraction

TLV Long-term value: 1\* mg/m³ as Al; \*as respirable fraction

## 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

TWA Long-term value: 5 mg/m<sup>3</sup>

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 3)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

#### **Breathing equipment:**

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter A/P2

### · Protection of hands:

Protective gloves are recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the

preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information				
· Appearance:				
Form:	Viscous			
Color:	White			
· Odor:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	> 7			
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. > 100 °C (> 212 °F)			
· Flash point:	> 100 °C (> 212 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapour density</li> </ul>	1,1 g/cm³ (9.18 lbs/gal) Not determined. Not determined.			

(Contd. on page 5)



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 4)

Not determined. · Evaporation rate

· Solubility in / Miscibility with

Not miscible or difficult to mix. Water:

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic at 40 °C (104 °F):  $> 20.5 \text{ mm}^2/\text{s}$ 

Solvent content:

14.0 % **VOC** content:

158.9 g/l / 1.33 lb/gl

 Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity None under normal conditions.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### \* 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy

Oral LD50 > 5000 mg/kg (rat) Dermal LD50 > 2920 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Contd. on page 6)



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 5)

#### · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### \* 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· Waste disposal key:

Waste codes should be determined in consultation with the customer, supplier and disposal.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void			
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void			
· Transport hazard class(es)				
· DOT, ADR, ADN, IMDG, IATA				
· Class	Void			
· Packing group				
DOT, ADR, IMDG, IATA	Void			
· Environmental hazards:				
· Marine pollutant:	No			
· Special precautions for user	Not applicable.			
· Transport in bulk according to Annex II of				
MARPOL73/78 and the IBC Code	Not applicable.			
· UN "Model Regulation":	Void			

### \* 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation 1907/2006/EC, REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Regulation 453/2010/EU, REACH as amended.

Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures.

(Contd. on page 7)



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 6)

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

1344-28-1 aluminium oxide

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Danger
- Hazard-determining components of labeling:

Naphtha (petroleum), hydrodesulfurized heavy

· Hazard statements

Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

**Precautionary statements** 

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 10/13/2015 Reviewed on 10/13/2015

Trade name: Heavy Cut Compound 400

(Contd. of page 7)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Product and Environmental Safety Department
- · Date of preparation / last revision 10/13/2015 / 11
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids, Hazard Category 4

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

\* Data compared to the previous version altered.

US