

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

1 Identification

- **Product identifier**
 - **Trade name: *Pre Polish (113 GZ)***
 - **Article number:** 06008
 - **Application of the substance / the mixture** Abrasive and polishing compound
 - **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Menzerna Polishing Compounds GmbH & Co. KG
Industriestraße 25
76470 ÖTIGHEIM
GERMANY
sds@menzerna.com
 - **Information department:** Product and Environmental Safety Department
 - **Emergency telephone number:** +49 (0) 761 19240 (24 h)
-

* **2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

-
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
 - **Information concerning particular hazards for human and environment:**
The product has to be labeled due to the calculation procedure of international guidelines.
 - **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
-

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Silica-Crystalline Tripoli

- **Hazard statements**

May cause cancer.

- **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 1
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0
Fire = 1
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

* **3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
1317-95-9	Silica-Crystalline Tripoli	☠ Carc. 1A, H350	65%
7727-43-7	barium sulphate, natural		6%
1344-28-1	aluminium oxide		4%
· Non hazardous ingredients			
61789-97-7	Tallow		14%
67701-03-5	Fatty acids, C16-18		10%
102-71-6	2,2',2''-nitrilotriethanol		1%

* **4 First-aid measures**

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
If symptoms persist consult doctor.
Rinse out mouth and then drink plenty of water.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
Treat according to symptoms.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Water spray, foam, dry powder or carbon dioxide.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** Nitrogen oxides (NOx)
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a well-ventilated place. Storage temperature: between 15 °C and 25 °C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

* **8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

1317-95-9 Silica-Crystalline Tripoli

PEL	see Quartz listing
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	TLV withdrawn

7727-43-7 barium sulphate, natural

PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 5* mg/m ³ *inhalable fraction; E

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 3)

1344-28-1 aluminium oxide

PEL	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m ³ as Al; *as respirable fraction

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

Protective gloves are recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

* **9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Solid

Color: Brown

· **Odor:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: > 40 °C (> 104 °F)

Boiling point/Boiling range: > 100 °C (> 212 °F)

· **Flash point:** > 100 °C (> 212 °F)

· **Flammability (solid, gaseous):** Not determined.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 4)

· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not applicable.
· Kinematic:	Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** None under normal conditions.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* **11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

*** 13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Waste disposal key:**
Waste codes should be determined in consultation with the customer, supplier and disposal.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

*** 15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
Regulation 1907/2006/EC, REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
Regulation 453/2010/EU, REACH as amended.
Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures.
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

7727-43-7 | barium sulphate, natural

1344-28-1 | aluminium oxide

· **TSCA (Toxic Substances Control Act):**

61789-97-7 | Tallow

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 6)

67701-03-5	Fatty acids, C16-18
7727-43-7	barium sulphate, natural
1344-28-1	aluminium oxide
102-71-6	2,2',2"-nitrilotriethanol

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

7727-43-7	barium sulphate, natural	D, CBD(inh), NL(oral)
-----------	--------------------------	-----------------------

· **TLV (Threshold Limit Value established by ACGIH)**

1317-95-9	Silica-Crystalline Tripoli	A2
1344-28-1	aluminium oxide	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

1317-95-9	Silica-Crystalline Tripoli
-----------	----------------------------

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Silica-Crystalline Tripoli

· **Hazard statements**

May cause cancer.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

— US —

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/23/2015

Reviewed on 04/23/2015

Trade name: **Pre Polish (113 GZ)**

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H350 May cause cancer.

· **Department issuing SDS:** Product and Environmental Safety Department

· **Date of preparation / last revision** 04/23/2015 / 2

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Carc. 1A: Carcinogenicity, Hazard Category 1A

· *** Data compared to the previous version altered.**